

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	((("3784910") or ("4683530") or ("5291490") or ("5577172") or ("6148076")).PN.	USPAT	OR	OFF	2004/11/29 09:09
L2	1575	710/110,49,8.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:10
L3	14737	(serial\$4 or daisy adj chain\$3) near8 (clock\$3 or shift\$3 or mask\$3) near8 (value or mask\$3 or vector or bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 09:34
L4	46	2 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 09:11
L5	3144	710/3,69,8-10,100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 09:12
L6	95	5 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 09:12
L7	68	6 not 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 09:12
L8	144	(subscriber adj line adj interface adj circuit\$1 or slic or slices) same (serial\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:33
L9	2487	3.ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:34
L10	5	9 and (subscriber adj line adj interface adj circuit\$1 or slic or slices)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:33

L13	4623	(serially or daisy adj chain\$3) near8 (clock\$3 or shift\$3 or mask\$3) near8 (value or mask\$3 or vector or bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 09:35
L14	464	13.ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 09:35
L15	71	14 same (address or id or identifier or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/29 09:36
S1	1234	710/8-10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/04 11:58
S2	115	S1 and (serial\$8.ab,ti.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/06/04 11:59
S3	3337	mask\$3 same serial\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:06
S4	2313	(identifier\$1 or identification or id\$1) and (((mask\$3 or enabl\$3) near3 (vector\$1 or value\$1 or bit\$1)) and ((mask\$3 or enabl\$3) same (serial\$4 or daisy adj2 chain\$3))) and (bus or buses or busses)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/09 15:02
S5	243	((bit\$1 near5 enabl\$3) same (respon\$5 with (signal\$1 or command\$1))) and ((identifier\$1 or identification or id\$1) and (((mask\$3 or enabl\$3) near3 (vector\$1 or value\$1 or bit\$1)) and ((mask\$3 or enabl\$3) same (serial\$4 or daisy adj2 chain\$3))) and (bus or buses or busses))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/09 13:53
S6	67	(bit\$1 near5 enable\$1) same (device\$1 near6 (respon\$5 near6 (signal\$1 or command\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/09 13:58

S7	6	((bit\$1 near5 enable\$1) same (device\$1 near6 (respon\$5 near6 (signal\$1 or command\$1)))) and ((identifier\$1 or identification or id\$1) and (((mask\$3 or enabl\$3) near3 (vector\$1 or value\$1 or bit\$1)) and ((mask\$3 or enabl\$3) same (serial\$4 or daisy adj2 chain\$3))) and (bus or buses or busses)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/09 14:27
S8	61	((bit\$1 near5 enable\$1) same (device\$1 near6 (respon\$5 near6 (signal\$1 or command\$1)))) not (((bit\$1 near5 enable\$1) same (device\$1 near6 (respon\$5 near6 (signal\$1 or command\$1)))) and ((identifier\$1 or identification or id\$1) and (((mask\$3 or enabl\$3) near3 (vector\$1 or value\$1 or bit\$1)) and ((mask\$3 or enabl\$3) same (serial\$4 or daisy adj2 chain\$3))) and (bus or buses or busses))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/09 14:27
S9	20	((((bit\$1 near5 enable\$1) same (device\$1 near6 (respon\$5 near6 (signal\$1 or command\$1)))) not (((bit\$1 near5 enable\$1) same (device\$1 near6 (respon\$5 near6 (signal\$1 or command\$1)))) and ((identifier\$1 or identification or id\$1) and (((mask\$3 or enabl\$3) near3 (vector\$1 or value\$1 or bit\$1)) and ((mask\$3 or enabl\$3) same (serial\$4 or daisy adj2 chain\$3))) and (bus or buses or busses)))) and (identifier\$1 or id\$1 or identification) and (bus or buses or busses))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/09 14:30
S10	26163	(mask\$3 near3 (vector\$1 or value\$1 or bit\$1)) or (enable\$1 adj3 bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/09 15:45
S11	157	((((mask\$3 or enabl\$3) near3 (vector\$1 or value\$1 or bit\$1)) same (identifier\$1 or identification or id\$1)) same serial\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/09 15:09

S12	156	(((mask\$3 or enabl\$3) near3 (vector\$1 or value\$1 or bit\$1)) same (identifier\$1 or identification or id\$1)) same serial\$3) not (((bit\$1 near5 enable\$1) same (device\$1 near6 (respon\$5 near6 (signal\$1 or command\$1)))) not (((bit\$1 near5 enable\$1) same (device\$1 near6 (respon\$5 near6 (signal\$1 or command\$1)))) and ((identifier\$1 or identification or id\$1) and (((mask\$3 or enabl\$3) near3 (vector\$1 or value\$1 or bit\$1)) and ((mask\$3 or enabl\$3) same (serial\$4 or daisy adj2 chain\$3))) and (bus or buses or busses))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/09 15:09
S13	5	((mask\$3 near3 (vector\$1 or value\$1 or bit\$1)) or (enable\$1 adj3 bit\$1)) same (daisy adj2 chain\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/09 16:11
S14	25	(((serial adj devices) or ('in' adj serial) or serially) same ((mask\$3 or enabl\$3) adj (vector or value or bit\$1 or portion\$1)) same (bus or busses or buses)) not (((mask\$3 near3 (vector\$1 or value\$1 or bit\$1)) or (enable\$1 adj3 bit\$1)) same (daisy adj2 chain\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/09 16:24
S15	25	((serial adj devices) or ('in' adj serial) or serially) same ((mask\$3 or enabl\$3) adj (vector or value or bit\$1 or portion\$1)) same (bus or busses or buses)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/10 11:02
S16	112	((mask\$3 near3 (vector\$1 or value\$1 or bit\$1)) or (enable\$1 adj3 bit\$1)) same (identifier\$1 or identification or id\$1) same serial\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/10 11:04
S17	2	("4,153,943").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/10 11:04
S18	26	((mask\$3 or enabl\$3) near3 (vector\$1 or value\$1 or bit\$1)) same (daisy adj2 chain\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/16 12:05

S19	92	((mask\$3 or enabl\$3) near3 (vector\$1 or value\$1 or bit\$1)) same scsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/16 17:04
S20	92	((((mask\$3 or enabl\$3) near3 (vector\$1 or value\$1 or bit\$1)) same scsi) not (((mask\$3 or enabl\$3) near3 (vector\$1 or value\$1 or bit\$1)) same (daisy adj2 chain\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/16 17:04
S21	11983	(serial\$4 or daisy adj chain\$3) near8 (clock\$3 or shift\$3 or mask\$3) near8 (value or mask\$3 or vector or bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/17 15:25
S22	8847	(serial\$4 or daisy adj chain\$3) near5 (clock\$3 or shift\$3 or mask\$3) near5 (value or mask\$3 or vector or bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/17 10:58
S23	579	bit adj3 (correspond\$3 or mask or enabl\$3) adj5 (device or cpu or processor or pu or mpu or mp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/17 11:03
S24	588	((serial\$4 or daisy adj chain\$3) near8 (clock\$3 or shift\$3 or mask\$3) near8 (value or mask\$3 or vector or bit\$1)) with enabl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/17 11:14
S25	25	((((serial\$4 or daisy adj chain\$3) near8 (clock\$3 or shift\$3 or mask\$3) near8 (value or mask\$3 or vector or bit\$1)) with enabl\$3) and daisy adj chain\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:10
S26	29	(bit adj3 (correspond\$3 or mask or enabl\$3) adj5 (device or cpu or processor or pu or mpu or mp)) same (serial\$4 or daisy adj chain\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/17 11:04
S27	1850	((serial\$4 or daisy adj chain\$3) near8 (clock\$3 or shift\$3 or mask\$3) near8 (value or mask\$3 or vector or bit\$1)) same enabl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/17 11:14
S28	60	((((serial\$4 or daisy adj chain\$3) near8 (clock\$3 or shift\$3 or mask\$3) near8 (value or mask\$3 or vector or bit\$1)) same enabl\$3) and daisy adj chain\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/17 11:14

S29	586	((((serial\$4 or daisy adj chain\$3) near8 (clock\$3 or shift\$3 or mask\$3) near8 (value or mask\$3 or vector or bit\$1)) with enabl\$3) not ((bit adj3 (correspond\$3 or mask or enabl\$3) adj5 (device or cpu or processor or pu or mpu or mp)) same (serial\$4 or daisy adj chain\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/17 11:25
S30	24	(((((serial\$4 or daisy adj chain\$3) near8 (clock\$3 or shift\$3 or mask\$3) near8 (value or mask\$3 or vector or bit\$1)) with enabl\$3) and daisy adj chain\$3) not ((bit adj3 (correspond\$3 or mask or enabl\$3) adj5 (device or cpu or processor or pu or mpu or mp)) same (serial\$4 or daisy adj chain\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/17 11:56
S31	35	(((((serial\$4 or daisy adj chain\$3) near8 (clock\$3 or shift\$3 or mask\$3) near8 (value or mask\$3 or vector or bit\$1)) same enabl\$3) and daisy adj chain\$3) not ((bit adj3 (correspond\$3 or mask or enabl\$3) adj5 (device or cpu or processor or pu or mpu or mp)) same (serial\$4 or daisy adj chain\$3)) not (((serial\$4 or daisy adj chain\$3) near8 (clock\$3 or shift\$3 or mask\$3) near8 (value or mask\$3 or vector or bit\$1)) with enabl\$3) and daisy adj chain\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/17 14:09
S32	6448	(broadcast\$3 or multicast\$3) with (mode or modes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/17 14:10
S33	279668	select\$5 near5 ('some' or 'all' or 'portion' or 'few' or 'set' or 'subset')	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/17 14:39
S34	79	((broadcast\$3 or multicast\$3) near5 (mode or modes)) same (select\$5 near5 ('some' or 'all' or 'portion' or 'few' or 'set' or 'subset'))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/17 15:43

S35	61	((broadcast\$3 or multicast\$3) same (select\$5 near5 ('some' or 'all' or 'portion' or 'few' or 'set' or 'subset') with enabl\$3)) not (((broadcast\$3 or multicast\$3) near5 (mode or modes)) same (select\$5 near5 ('some' or 'all' or 'portion' or 'few' or 'set' or 'subset'))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/17 16:29
S36	62	(broadcast\$3 or multicast\$3) same (select\$5 near5 ('some' or 'all' or 'portion' or 'few' or 'set' or 'subset') with enabl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/17 16:37
S37	493	(selectively adj2 (broadcast\$3 or multicast\$3 or send\$3 or transmit\$4)) with (mode or modes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/17 16:55
S38	2	"5153876".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/17 16:46
S39	10	((selectively adj2 (broadcast\$3 or multicast\$3 or send\$3 or transmit\$4)) adj5 ('some' or 'all' or 'portion' or 'few' or 'set' or 'subset')) with (mode or modes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/17 17:44
S40	272	((selectively adj2 (broadcast\$3 or multicast\$3 or send\$3 or transmit\$4)) adj5 ('some' or 'all' or 'portion' or 'few' or 'set' or 'subset'))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/17 18:05
S41	28	((selectively adj2 (broadcast\$3 or multicast\$3 or send\$3 or transmit\$4)) adj5 ('some' or 'all' or 'portion' or 'few' or 'set' or 'subset')) same (enabl\$3 or mode or modes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/17 17:49
S42	18	((selectively adj2 (broadcast\$3 or multicast\$3 or send\$3 or transmit\$4)) adj5 ('some' or 'all' or 'portion' or 'few' or 'set' or 'subset')) same (enabl\$3 or mode or modes)) not (((selectively adj2 (broadcast\$3 or multicast\$3 or send\$3 or transmit\$4)) adj5 ('some' or 'all' or 'portion' or 'few' or 'set' or 'subset')) with (mode or modes))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/17 17:49

S43	495	(broadcast\$3 or multicast\$3 or send\$3 or transmit\$4) adj8 ('some' or 'all' or 'portion' or 'few' or 'set' or 'subset') adj3 (devices or cpu\$1 or pu\$1 or mpu\$1 or processors)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/17 18:18
S44	2	"5577172".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/18 13:54
S45	2	"3784910".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/18 15:30
S46	1532	subscriber adj line adj interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/18 18:49
S47	407	(bus with serial\$3) same address same data same command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/18 15:38
S48	110	(bus with serial\$3) with address with data with command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/18 15:55
S49	27	"710"/.ccls. and ((bus with serial\$3) with address with data with command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/18 15:43
S50	125	(serial adj bus\$3 or usb or scsi) with address with data with command	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/18 18:06
S51	16	"7".ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/18 17:31
S52	219	(serial adj bus\$3 or usb or scsi) with address with data with control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/18 18:47

S53	23	"9".ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/18 18:07
S54	17	"9".ab. not "7".ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/18 18:10
S55	6	(subscriber adj line adj interface) and "710"/.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/18 18:36
S56	2	"4,811,358".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/18 18:38
S57	26713	serial adj bus\$3 or usb or scsi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/18 18:49
S58	8	((subscriber adj line adj interface). ab.) and (serial adj bus\$3 or usb or scsi)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/18 18:52
S59	548	(subscriber adj line adj interface). ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/19 15:50
S60	45	serial\$3 same subscriber adj line adj interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/19 14:26
S61	21	((subscriber adj line adj interface). ab.) and (serial\$3 same subscriber adj line adj interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/19 14:36
S62	24	(serial\$3 same subscriber adj line adj interface) not ((subscriber adj line adj interface).ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/19 14:36

S63	362	(subscriber adj line adj interface adj circuit\$1).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/19 15:50
S64	347	((subscriber adj line adj interface adj circuit\$1).ab.) not (((subscriber adj line adj interface).ab.) and (serial\$3 same subscriber adj line adj interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/19 14:39
S65	2	(subscriber adj line adj interface adj circuit\$1) and "710"/.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/19 15:51
S66	165	(subscriber adj line adj interface adj circuit\$1 or slic\$1) same (serial\$3 same bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/19 15:57
S67	87	(subscriber adj line adj interface adj circuit\$1 or slic\$1) same (serial\$3 with bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/19 15:55
S68	30	(subscriber adj line adj interface adj circuit\$1 or slic or slices) same (serial\$3 same bus)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/29 09:12
S69	0	(subscriber adj line adj interface adj circuit\$1 or slic or slices) same (serial\$3 near5 devices)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/19 16:53
S70	5	ieee adj ""802.3"" adj ethernet adj specification\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/19 18:09
S71	241	broadcast same multicast same (mode or modes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/19 18:21
S72	20	(broadcast same multicast same (mode or modes)) and "710"/.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/19 18:20

S73	221	(broadcast same multicast same (mode or modes)) not ((broadcast same multicast same (mode or modes)) and "710"/.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/19 18:21
S74	12	"37".ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/19 18:21
S75	294	379/399.01.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/20 14:05
S76	78	subscriber adj line adj interface and 379/399.01.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/20 14:06
S77	4041	(broadcast\$3 or multicast\$3) near5 (mode or modes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/20 14:55
S78	27907	(mask\$3 or enabl\$3) same (serial\$4 or daisy adj2 chain\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/20 16:06
S79	1792	((identifier\$1 or identification or id\$1) and (((mask\$3 or enabl\$3) near3 (vector\$1 or value\$1 or bit\$1)) and ((mask\$3 or enabl\$3) same (serial\$4 or daisy adj2 chain\$3))) and (bus or buses or busses)) and (bit\$1 near5 enable\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/20 15:00
S80	2515	(bit\$1 near5 enabl\$3) same (respon\$5 with (signal\$1 or command\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/20 15:03
S81	5991	((mask\$3 or enabl\$3) near3 (vector\$1 or value\$1 or bit\$1)) and (((mask\$3 or enabl\$3) same (serial\$4 or daisy adj2 chain\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/27 16:18

S82	2942	((mask\$3 or enabl\$3) near3 (vector\$1 or value\$1 or bit\$1)) same (identifier\$1 or identification or id\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/20 15:46
S83	814	710/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/20 15:46
S84	33	((((mask\$3 or enabl\$3) near3 (vector\$1 or value\$1 or bit\$1)) and ((mask\$3 or enabl\$3) same (serial\$4 or daisy adj2 chain\$3))) and 710/100.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/20 15:47
S85	2	379/399.01.ccls. and (((mask\$3 or enabl\$3) near3 (vector\$1 or value\$1 or bit\$1)) and ((mask\$3 or enabl\$3) same (serial\$4 or daisy adj2 chain\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/20 15:47
S86	54362	(mask\$3 or enabl\$3) near3 (vector\$1 or value\$1 or bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/20 15:50
S87	11	379/399.01.ccls. and ((mask\$3 or enabl\$3) same (serial\$4 or daisy adj2 chain\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/20 15:56
S88	256	710/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/20 15:56
S89	33	((broadcast\$3 or multicast\$3 or send\$3 or transmit\$4) adj8 ('some' or 'all' or 'portion' or 'few' or 'set' or 'subset') adj3 (devices or cpu\$1 or pu\$1 or mpu\$1 or processors)) same (mode or modes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/20 15:56
S90	149	710/49,69.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/20 16:05
S91	38	(subscriber adj line adj interface adj circuit\$1 or slc or slices) with serial\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/20 15:56

S92	12	710/3.ccls. and (((mask\$3 or enabl\$3) near3 (vector\$1 or value\$1 or bit\$1)) and ((mask\$3 or enabl\$3) same (serial\$4 or daisy adj2 chain\$3))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/20 16:06
S93	26	710/49;69.ccls. and ((mask\$3 or enabl\$3) same (serial\$4 or daisy adj2 chain\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2002/10/20 16:07
S94	350	710/110.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/27 16:57
S95	137	710/110.ccls. and serial\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/29 12:31
S96	1	("6,115,780").PN.	USPAT; USOCR	OR	OFF	2003/05/27 17:17
S97	505	"225".ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/27 18:55
S98	13	"225".ab,ti. and "710"/.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/27 17:39
S99	64	"228".ab,ti.	US-PGPUB; USPAT	OR	OFF	2003/05/27 19:03
S10 0	4378	((mask\$3 or enabl\$3) near3 (vector\$1 or value\$1 or bit\$1 or register)) same (serial\$7 or daisy adj2 chain\$3 or ring\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/28 13:52
S10 1	1890	((mask\$3 or enabl\$3) near3 (vector\$1 or value\$1 or bit\$1 or register)) with (serial\$7 or daisy adj2 chain\$3 or ring\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/28 13:52
S10 2	285	"39".ab,ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/28 13:52

S10 3	1	yee-wilson.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/29 12:33
S10 4	9	triscend.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/05/29 12:45
S10 5	1	("6467009").PN.	USPAT; USOCR	OR	OFF	2003/05/29 20:26
S10 6	1	("5504875").PN.	USPAT; USOCR	OR	OFF	2003/05/29 14:47
S10 7	9	"5504875".URPN.	USPAT	OR	OFF	2003/05/29 18:04
S10 8	1	"5715205".URPN.	USPAT	OR	OFF	2003/05/29 14:41
S10 9	8	("4286321" "4975880" "5055661" "5262990" "5373467" "5396460" "5504875" "5546347").PN.	USPAT	OR	OFF	2003/05/29 14:41
S11 0	1	("5715205").PN.	USPAT; USOCR	OR	OFF	2003/05/29 14:47
S11 1	1	("5423009").PN.	USPAT; USOCR	OR	OFF	2003/05/29 20:40